JOURNAL OF THEORETICAL BIOLOGY

Co-Chief Editors: S. A. KAUFFMAN
L. WOLPERT

Editorial Board: J. BONNER
B. CHARLESWORTH
P. F. COOK
A. CORNISH-BOWDEN
J. COWAN
F. DYSON
D. GARFINKEL
M. E. GILPIN
L. GLASS
A. GOLDBETER
B. GOODWIN
P. W. HEDRICK
M. KARPLUS
T. B. L. KIRKWOOD
Y. KOBATAKE
R. C. LEWONTIN
W. R. LIEB
R. B. LUFTIG
R. M. MAY
J. MAYNARD SMITH
J. D. MURRAY
T. OHTA
H. H. PATTEE
J. RINZEL
P. SCHUSTER
J. H. STEINBACH
T. TAKENAKA
M. VOLKENSTEIN
J. Z. YOUNG

UNIVERSITY OF HAWAII
JUN 9 1989
LIBRARIES

VOLUME 135
November–December 1988

ACADEMIC PRESS

London San Diego New York Boston
Sydney Tokyo Toronto

PERIODICAL
QH
301
.J75
U.H. LIBRARY

Copyright © 1988, by Academic Press Limited

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents for Volume 135

Number 1, 7 November 1988

WEINBAUM, S., GANATOS, P., PFEFFER, R., WEN, G. B., LEE, M. and CHIEN, S., On the Time-Dependent Diffusion of Macromolecules Through Transient Open Junctions and Their Subendothelial Spread. I. Short-Time Model for Cleft Exit Region 1

MOTRO, U., Evolutionarily Stable Strategies of Mutual Help Between Relatives Having Unequal Fertilities 31

BOGUTA, G., STEPKOWSKI, D. and BIERZYŃSKI, A., Theoretical Estimation of the Calcium-binding Constants for Proteins from the Troponin C Superfamily Based on a Secondary Structure Prediction Method. I. Estimation Procedure 41

BOGUTA, G., STEPKOWSKI, D. and BIERZYŃSKI, A., Theoretical Estimation of the Calcium-binding Constants for Proteins from the Troponin C Superfamily Based on a Secondary Structure Prediction Method. II. Applications 63

KELETI, T., VÉRTESSY, B. and WELCH, G. R., The Perfection of Substrate-Channelling in Interacting Enzyme Systems: Energetics and Evolution 75

FRANKHAM, R., Molecular Hypotheses for Position-Effect Variegation: Anti-Sense Transcription and Promoter Occlusion 85

IIDA, Y., Categorical Discriminant Analysis of 3′-Splice Site Signals of mRNA Precursors in Higher Eukaryote Genes 109

LETTERS TO THE EDITOR

MOREL, J. E. and BACHOUCHI, N., Comments on the Molecular Jet Process for the *in vitro* Movements: Is it Valid to use Steady State Kinetics to Analyse Actin-Myosin based Motility? 119

DI CERA, E., Linkage Relations for Individual-Site Binding Data . 123

KYPR, J., Possible Reason for the Preferential Insertion of Adenine Opposite Abasic Lesions in DNA 125

RALPH, R. K., SCHNEIDER, E. and RATTRAY, S., A Speculation on the Nature of Chromosomal DNA 127

GILPIN, M. E. and TAYLOR, B. L., Comment on Harpending's and Roger's Model of Intergroup Selection 131

ERRATUM 137

Number 2, 21 November 1988

KOSTER, J. G., DESTRÉE, O. H. J. and WESTERHOFF, H. V., Kinetics of Histone Gene Expression during Early Development of *Xenopus Taevis* . 139

TOPHAM, C. M., Ill-Conditioning Associated with the "End-Point" Method for the Determination of Kinetic Parameters Describing Irreversible Enzyme Inactivation by an Unstable Inhibitor 169

REDER, C., Metabolic Control Theory: A Structural Approach . . . 175

LEHMAN, N. and JUKES, T. H., Genetic Code Development by Stop Codon Takeover 203

IMAMURA, A., TANI, S. and KANDA, K., Molecular Orbital Study on the Metabolic Pathway through the Diol Epoxide Form of Carcinogenic Benzene in Comparison with Benzo[*a*]pyrene 215

WEN, G. B., WEINBAUM, S., GANATOS, P., PFEFFER, R. and CHIEN, S., On the Time-Dependent Diffusion of Macromolecules Through Transient Open Junctions and Their Subendothelial Spread. 2. Long Time Model for Interaction Between Leakage Sites 219

STAUFFER, D., Percolation Thresholds in Square-Lattice Kauffman Model 255

ERRATUM 263

Number 3, 7 December 1988

IWASA, Y., Free Fitness that Always Increases in Evolution 265

PINEDA, F. D., DE PABLO, C. L., CASADO, M. A. and DE MIGUEL, J. M., Ecological Structures Recognized by Means of Entropy Analysis: Assessment of Differences between Entropy Values 283

DUSSERT, C., RASIGNI, G. and LLEBARIA, A., Quantization of Directional Properties in Biological Structures Using the Minimal Spanning Tree 295

BAINS, W. and SMITH, G. C., A Novel Method for Nucleic Acid Sequence Determination 303

CHATTERJEE, A. P., DASGUPTA, A. and CHATTERJEE, A. N., Spatial Dependence of Stress Distribution for Rod-Shaped Bacteria 309

BUDRIENÉ, E. O., POLEZHAEV, A. A. and PTITSYN, M. O., Mathematical Modelling of Intercellular Regulation Causing the Formation of Spatial Structures in Bacterial Colonies 323

KURLAND, I. J. and D'ARGENIO, D. Z., A Minimal Model of Liver Glycogen Metabolism; Feasibility for Predicting Flux Rates 343

ROBINSON, D., Optimal Relations between Root Length and Nutrient Inflow Rate in Plant Root Systems 359

MALCHOW, H., Dissipative Pattern Formation in Ternary Non-linear Reaction-Electrodiffusion Systems with Concentration-Dependent Diffusivities 371

FRANCE, J., DHANOA, M. S., SIDDONS, R. C., THORNLEY, J. H. M. and POPPI, D. P., Estimating the Production of Faeces by Ruminants from Faecal Marker Concentration Curves 383

COOPER, S., The Continuum Model and c-*myc* Synthesis During the Division Cycle 393

LAWACZECK, R. and PITTERICH, H., Pathways of Water Through Erythrocyte Membranes. Routes along Defect Structures 401

LI, J. K.-J., Laminar and Turbulent Flow in the Mammalian Aorta: Reynolds Number 409

FRANK, S. A. and SWINGLAND, I. R., Sex Ratio under Conditional Sex Expression 415

GALEN, C. and ROTENBERRY, J. T., Variance in Pollen Carryover in Animal-Pollinated Plants: Implications for Mate Choice 419

ANNOUNCEMENT 431

Number 4, 21 December 1988

STEPHENS, T. D., JACKSON, A. W. and KRATZ, L. J., A Method for Predicting the Cranio-Caudal Position of Secondary Embryonic Structures . 433

SEGEL, I. H. and MARTIN, R. L., The General Modifier ("Allosteric") Unireactant Enzyme Mechanism: Redundant Conditions for Reduction of the Steady State Velocity Equation to One that is First Degree in Substrate and Effector 445

FLETCHER, N. H., Bird Song—A Quantitative Acoustic Model . . . 455

SEN, A. K., On the Time Course of the Reversible Michaelis-Menten Reaction 483

BRENTANI, R. R., Biological Implications of Complementary Hydropathy of Amino Acids 495

SCHÖNER, G. and KELSO, J. A. S., A Dynamic Pattern Theory of Behavioral Change 501

GUELL, D. C., BRENNER, H., FRANKEL, R. B. and HARTMAN, H., Hydrodynamic Forces and Band Formation in Swimming Magnetotactic Bacteria 525

TAYLOR, P. J., Consistent Scaling and Parameter Choice for Linear and Generalized Lotka-Volterra Models used in Community Ecology . 543

TAYLOR, P. J., The Construction and Turnover of Complex Community Models Having Generalized Lotka-Volterra Dynamics 569

Index to Volume 135

Abasic lesions in DNA, possible reason for the preferential insertion of adenine opposite (letter), 125
Acoustic model of bird song, 455
Actin-myosin based motility, is it valid to use steady state kinetics for analysis of? (letter), 119
Adenine preferential insertion opposite abasic lesions in DNA, possible reason for (letter), 125
Allosteric unireactant enzyme mechanism: redundant conditions for reduction of the steady state velocity equation to one that is first degree in substrate and effector, 445
Amino acids, biological implication of complementary hydropathy of, 495
Animal-pollinated plants, variance in pollen carryover in; implications for mate choice, 419
Antisense transcription and promoter occlusion; molecular hypotheses for position-effect variegation, 85
Aorta, mammalian, laminar and turbulent flow in; Reynolds number, 409

BACHOUCHI, N. (see MOREL, J. E.), 119
Bacteria, magnetotactic, swimming; hydrodynamic forces and band formation, 525
Bacteria, rod-shaped, spatial dependence of stress distribution for, 309
Bacterial colonies, mathematical modelling of intercellular regulation causing the formation of spatial structures in, 323
BAINS, W. and SMITH, G. C., A novel method for nucleic acid sequence determination, 303
Band formation in swimming magnetotactic bacteria, 525
Behavioral change, a dynamic pattern theory, 501
Benzo[*a*]pyrene, molecular orbital study on the metabolic pathway through the diol epoxide form of carcinogenic benzene in comparison with, 215
BIERZYŃSKI, A. (see BOGUTA, G.), 41, 63
Binding data, individual-site, linkage relations for (letter), 123
Biological implications of complementary hydropathy of amino acids, 495
Bird song, a quantitative acoustic model, 455
BOGUTA, G., STEPKOWSKI, D. and BIERZYŃSKI, A., Theoretical estimation of the calcium-binding constants for proteins from the troponin C superfamily based on a secondary structure prediction method. I. Estimation procedure, 41
BOGUTA, G., STEPKOWSKI, D. and BIERZYŃSKI, A., Theoretical estimation of the calcium-binding constants for proteins from the troponin C superfamily based on a secondary structure prediction method. II. Applications, 63
BRENNER, H. (see GUELL, D. C.), 525
BRENTANI, R. R., Biological implications of complementary hydropathy of amino acids, 495
BUDRIENÉ, E. O., POLEZHAEV, A. A. PTITSYN, M. O., Mathematical modelling of intercellular regulation causing the formation of spatial structures in bacterial colonies, 323

Calcium-binding constants for proteins from the troponin C superfamily, theoretical estimation based on a secondary structure prediction method; applications, 63
Calcium-binding constants for proteins from the troponin C superfamily, theoretical estimation based on a secondary structure prediction method; estimation procedure, 41
Carcinogenic benzene, molecular orbital study on the metabolic pathway through the diol epoxide form of, in comparison with benzo[*a*]pyrene, 215
CASADO, M. A. (see PINEDA, F. D.), 283
Categorical discriminant analysis of 3′-splice site signals of mRNA precursors in higher eukaryotic genes, 109
CHATTERJEE, A. N. (see CHATTERJEE, A. P.), 309

CHARRERJEE, A. P., DASGUPTA, A. and CHATTERJEE, A. N., Spatial dependence of stress distribution for rod-shaped bacteria, 309
CHIEN, S. (see WEINBAUM, S.), 1
CHIEN, S. (see WEN, G. B.), 219
Chromosomal DNA, a speculation on the nature of (letter), 127
c-*myc* synthesis during the division cycle, the continuum model and, 393
Colonies, bacterial, mathematical modelling of intercellular regulation causing the formation of spatial structures in, 323
Community ecology, consistent scaling and parameter choice for linear and generalized Lotka–Volterra models used in, 543
Community models, complex, having generalized Lotka–Volterra dynamics, the construction and turnover of, 569
Conditional sex expression, sex ratio under, 415
Continuum model and c-*myc* synthesis during the division cycle, 393
Control, metabolic: a structural theoretical approach, 175
COOPER, S., The continuum model and c-*myc* synthesis during the division cycle, 393
Cranio-caudal position of secondary embryonic structures, a method for prediction of, 433

D'ARGENIO, D. Z. (see KURLAND, I. J.), 343
DASGUPTA, A. (see CHATTERJEE, A. P.), 309
DE MIGUEL, J. M. (see PINEDA, F. D.), 283
DE PABLO, C. L. (see PINEDA, F. D.), 283
DESTRÉE, O. H. J. (see KOSTER, J. G.), 139
DHANOA, M. S. (see FRANCE, J.), 383
DI CERA, E., Limkage relations for individual-site binding data (letter), 123
Diffusion, time-dependent, of macromolecules through transient open junctions and their subendothelial spread; long time model for interaction between leakage sites, 219
Diffusion, time-dependent, of macromolecules through transient open junctions and their subendothelial spread; short-time model for cleft exit region, 1
Diffusivities, concentration-dependent, dissipative formation of patterns in ternary non-linear reaction-electrodiffusion systems with, 371
Diol epoxide form of carcinogenic benzene, molecular orbital study on the metabolic pathway through, in comparison with benzo[*a*]pyrene, 215
Directional properties in biological structures, quantization using the minimal spanning tree, 295
Dissipative pattern formation in ternary non-linear reaction-electrodiffusion systems with concentration-dependent diffusivities, 371
Division cycle, the continuum model and c-*myc* synthesis during, 393
DNA, chromosomal, a speculation on the nature of (letter), 127
DNA, possible reason for the preferential insertion of adenine opposite abasic lesions in (letter), 125
DUSSERT, C., RASIGNI, G. and LLEBARIA, A., Quantization of directional properties in biological structures using the minimal spanning tree, 295
Dynamic pattern theory of behavioral change, 501

Ecological structures recognized by means of entropy analysis: assessment of difference between entropy values, 283
Ecology, community, consistent scaling and parameter choice for linear and generalized Lotka–Volterra models used in, 543
Embryonic structures, secondary, a method of predicting the cranio-caudal position of, 433
"End-point" method for determination of kinetic parameters describing irreversible enzyme inactivation by an unstable inhibitor, ill-conditioning associated with, 169
Energetics and evolution; the perfection of substrate-channelling in interacting enzyme systems, 75

Entropy analysis, ecological structures recognized by means of, 283
Enzyme inactivation, irreversible, by an unstable inhibitor, ill-conditioning associated with the "end-point" method for determination of kinetic parameters, 169
Enzyme systems, interacting, the perfection of substrate-channeling in; energetics and evolution, 75
Enzymes: the general modifier ("allosteric") unireactant enzyme mechanism; redundant conditions for reduction of the steady state velocity equation to one that is first degree in substrate and effector, 445
Erythrocyte membranes, pathways of water through; routes along defect structures, 401
Eukaryote genes, higher, categorical discriminant analysis of 3′-splice site signals of mRNA precursors in, 109
Evolution and energetics; the perfection of substrate-channeling in interacting enzyme systems, 75
Evolution, free fitness that always increases in, 265
Evolutionary stable strategies of mutual help between relatives having unequal fertilities, 31

Faecal marker concentration curves, estimating the production of faeces by ruminants from, 383
Fertilities, unequal, evolutionarily stable strategies of mutual help between relatives with, 31
Fitness, free, that always increases in evolution, 265
FLETCHER, N. H., Bird song—a quantitative acoustic model, 455
Flow, laminar and turbulent, in the mammalian aorta: Reynolds number, 409
FRANCE, J., DHANOA, M. S., SIDDONS, R. C., THORNLEY, J. H. M. and POPPI, D. P., Estimating the production of faeces by ruminants from faecal marker concentration curves, 383
FRANK, S. A. and SWINGLAND, I. R., Sex ratio under conditional sex expression, 415
FRANKEL, R. B. (see GUELL, D. C.), 525
FRANKHAM, R., Molecular hypotheses for position-effect variegation: anti-sense transcription and promoter occlusion, 85
Free fitness that always increases in evolution, 265

GALEN, C. and ROTENBERRY, J. T., Variance in pollen carryover in animal-pollinated plants: implications for mate choice, 419
GANATOS, P. (see WEINBAUM, S.), 1
GANATOS, P. (see WEN, G. B.), 219
Genes, eukaryote, categorical discriminant analysis of 3′-splice site signals of mRNA precursors in, 109
Gene, histone, expression kinetics during early development of *Xenopus laevis*, 139
Genetic code development by stop codon takeover, 203
GILPIN, M. E. and TAYLOR, B. L., Comment on Harpending's and Roger's modal of intergroup selection (letter), 131
Glycogen metabolism, liver, a minimal model; feasibility for predicting flux rates, 343
GUELL, D. C., BRENNER, H., FRANKEL, R. B. and HARTMAN, H., Hydrodynamic forces and band formation in swimming magnetotactic bacteria, 525

Harpending's and Roger's model of intergroup selection, comment on (letter), 131
HARTMAN, H. (see GUELL, D. C.), 525
Histone gene expression kinetic during early development of *Xenopus laevis*, 139
Hydrodynamic forces and band formation in swimming magnetotactic bacteria, 525
Hydropathy, complementary, of amino acids, biological implications of, 495

IIDA, Y., Categorical discriminant analysis of 3′-splice site signals of mRNA precursors in higher eukaryote genes, 109

Ill-conditioning associated with the "end-point" method for determination of kinetic parameters describing irreversible enzyme inactivation by an unstable inhibitor, 169
IMAMURA, A., TANI, S. and KANDA, K., Molecular orbital study on the metabolic pathway through the diol epoxide form of carcinogenic benzene in comparison with benzo[*a*] oyrene, 215
Individual-site binding data, linkage relations for (letter), 123
Intercellular regulation causing the formation of spatial structures in bacterial colonies; mathematical modelling, 323
IWASA, Y., Free fitness that always increases in evolution, 265

JACKSON, A. W. (see STEPHENS, T. D.), 433
JUKES, T. H. (see LEHMAN, N.), 203

KANDA, K. (see IMAMURA, A.), 215
Kauffman square-lattice model, percolation thresholds in, 255
KELETI, T., VÉRTESSY, B. and WELCH, G. R., The perfection of substrate-channelling in interacting enzyme systems: energetics and evolution, 75
KELSO, J. A. S. (see SCHÖNER, G.), 501
Kinetic parameters describing irreversible enzyme inactivation by an unstable inhibitor, ill-conditioning associated with the "end-point" method for determination of, 169
Kinetics of histone gene expression during early development of *Xenopus laevis*, 139
KOSTER, J. G., DESTRÉE, O. H. J. and WESTERHOFF, H. V., Kinetics of histone gene expression during early development of *Xenopus laevis*, 139
KRANTZ, L. J. (see STEPHENS, T. D.), 433
KURLAND, I. J. and D'ARGENIO, D. Z., A minimal model of liver glycogen metabolism; feasibility for predicting flux rates, 343
KYPR, J., Possible reason for the preferential insertion of adenine opposite abasic lesions in DNA (letter), 125

Laminar and turbulent flow in the mammalian aorta: Reynolds number, 409
LAWACZECK, R. and PITTERICH, H., Pathways of water through erythrocyte membranes. Routes along defect structures, 401
LEE, M. (see WEINBAUM, S.), 1
LEHMAN, N. and JUKES, T. H., Genetic code development by stop codon takeover, 203
LI, J. K.-J., Laminar and turbulent flow in the mammalian aorta: Reynolds number, 409
Linkage relations for individual-site binding data (letter), 123
Liver glycogen metabolism, a minimal model; feasibility for predicting flux rates, 343
LLEBARIA, A. (see DUSSERT, C.), 295
Lotka–Volterra dynamics, the construction and turnover of complex community models with, 569
Lotka–Volterra models used in community ecology, consistent scaling and parameter choice for, 543

Macromolecules: time-dependent diffusion through transient open junctions and their sub-endothelial spread; long time model for interaction between leakage sites, 219
Macromolecules: time-dependent diffusion through transient open junctions and their sub-endothelial spread; short-time model for cleft exit region, 1
Magnetotactic swimming bacteria, hydrodynamic forces and band formation in, 525
MALCHOW, H., Dissipative pattern formation in ternary non-linear reaction-electrodiffusion systems with concentration-dependent diffusivities, 371
Mammalian aorta, laminar and turbulent flow in; Reynolds number, 409
MARTIN, R. L. (see SEGEL, I. H.), 445
Mate choice, and variance in pollen carryover in animal-pollinated plants, 419
Membranes, erythrocyte, pathways of water through; routes along defect structures, 401

Metabolic control theory: a structural approach, 175
Metabolic pathway through the diol epoxide form of carcinogenic benzene in comparison with benzo[*a*]pyrene; molecular orbital study, 215
Metabolism, liver glycogen, a minimal model; feasibility for predicting flux rates, 343
Michaelis-Menten reaction, reversible, on the time course of, 483
Minimal spanning tree, quantization of directional properties in biological structures using, 295
Molecular hypotheses for position-effect variegation: antisense transcription and promoter occlusion, 85
Molecular jet process for *in vitro* movements: is it valid to use steady state kinetics to analyse actin-myosin based motility? (letter), 119
Molecular orbital study on the metabolic pathway through the diol epoxide form of carcinogenic benzene in comparison with benzo[*a*] pyrene, 215
MOREL, J. E. and BACHOUCHI, N., Comments on the molecular jet process for the *in vitro* movements: is it valid to use steady state kinetics to analyse actin-myosin based motility? (letter), 119
Motility, actin-myosin based, is it valid to use steady state kinetics in analysis of (letter), 119
MOTRO, U., Evolutionarily stable strategies of mutual help between relatives having unequal fertilities, 31
mRNA precursors in higher eukaryote genes, categorical discriminant analysis of 3′-splice signals of, 109
Mutual help between relatives having unequal fertilities, evolutionarily stable strategies of, 31

Nucleic acid sequence determination, a novel method, 303
Nutrient inflow rate and root length, optimal relations between, in plant root systems, 359

Pathway, metabolic, through the diol epoxide form of carcinogenic benzene in comparison with benzo[*a*]pyrene; molecular orbital study, 215
Pathways of water through erythrocyte membranes. Routes along defect structures, 401
Pattern, dynamic, theory of behavioral change, 501
Pattern formation, dissipative, in ternary non-linear reaction-electrodiffusion systems with concentration-dependent diffusivities, 371
Percolation thresholds in square-lattice Kauffman model, 255
PFEFFER, R. (see WEINBAUM, S.), 1
PFEFFER, R. (see WEN, G. B.), 219
PINEDA, F. D., DE PABLO, C. L., CASADO, M. A. and DE MIGUEL, J. M., Ecological structures recognized by means of entropy analysis: assessment of difference between entropy values, 283
PITTERICH, H. (see LAWACZECK, R.), 401
Plant root systems optimal relations between root length and nutrient inflow rate in, 359
Plants, animal-pollinated, variance in pollen carryover; implications for mate choice, 419
POLEZHAEV, A. A. (see BUDRIENÉ, E. O.), 323
Pollen carryover variance in animal-pollinated plants; implications for mate choice, 419
POPPI, D. P. (see FRANCE, J.), 383
Position-effect variegation, molecular hypotheses for; antisense transcription and promoter occlusion, 85
Promoter occlusion and antisense transcription; molecular hypotheses for position-effect variegation, 85
Proteins from the troponin C superfamily, theoretical estimation of the calcium-binding constants for, based on a secondary structure prediction method; applications, 63
Proteins from the proponin C superfamily, theoretical estimation of the calcium-binding constants for, based on a secondary structure prediction method; estimation procedure, 41
PTITSYN, M. O. (see BUDRIENÉ, E. O.), 323

Quantization of directional properties in biological structures using the minimal spanning tree, 295

RALPH, R. K., SCHNEIDER, E. and RATTRAY, S., A speculation on the nature of chromosomal DNA (letter), 127
RASIGNI, G. (see DUSSERT, C.), 295
RATTRAY, S. (see RALPH, R. K.), 127
Reaction-electrodiffusion systems, non-linear, ternary, with concentration-dependent diffusivities, dissipative pattern formation in, 371
REDER, C., Metabolic control theory: a structural approach, 175
Regulation, intercellular, causing the formation of spatial structures in bacterial colonies; mathematical modelling, 323
Relatives having unequal fertilities, evolutionarily stable strategies of mutual help between, 31
Reynolds number: laminar and turbulent flow in the mammalian aorta, 409
ROBINSON, D., Optimal relations between root length and nutrient inflow rate in plant root systems, 359
Rod-shaped bacteria, spatial dependence of stress distribution for, 309
Root length and nutrient inflow rate, optimal relations between, in plant root systems, 359
ROTENBERRY, J. T. (see GALEN, C.), 419
Ruminants, estimating the production of faeces by, from faecal marker concentration curves, 383

SCHNEIDER, E. (see RALPH, R. K.), 127
SCHÖNER, G. and KELSO, J. A. S., A dynamic pattern theory of behavioral change, 501
SEGEL, I. H., and MARTIN, R. L., The general modifier ("allosteric") unireactant enzyme mechanism: redundant conditions for reduction of the steady state velocity equation to one that is first degree in substrate and effector, 445
Selection, intergroup, comment on Harpending's and Roger's model of (letter), 131
SEN, A. K., On the time course of the reversible Michaelis–Menten reaction, 483
Sequence, nucleic acid, determination: a novel method, 303
Sex ratio under conditional sex expression, 415
SIDDONS, R. C. (see FRANCE, J.), 383
SMITH, G. C. (see BAINS, W.), 303
Spatial dependence of stress distribution for rod-shaped bacteria, 309
Spatial structures in bacterial colonies, mathematical modelling of intercellular regulation causing the formation of, 323
Square-lattice Kauffman model, percolation thresholds in, 255
STAUFFER, D., Percolation thresholds in square-lattice Kauffman model, 255
STEPHENS, T. D., JACKSON, A. W. and KRATZ, L. J., A method for predicting the cranio-caudal position of secondary embryonic structures, 433
STEPKOWSKI, D. (see BOGUTA, G.), 41, 63
Stop codon takeover, genetic code development by, 203
Stress distribution for rod-shaped bacteria, spatial dependence of, 309
Structural approach to metabolic control theory, 175
Structures, biological, quantization of directional properties using the minimal spanning tree, 295
Structures, ecological, recognized by means of entropy analysis, 283
Structures, embryonic, secondary, a method of predicting the cranio-caudal position of, 433
Structures, spatial, in bacterial colonies, mathematical modelling of intercellular regulation causing the formation of, 323
Substrate-channeling in interacting enzyme systems, the perfection of; energetics and evolution, 75
Swimming magnetotactic bacteria, hydrodynamic forces and band formation in, 525
SWINGLAND, I. R. (see FRANK, S. A.), 415

TANI, S. (see IMAMURA, A.), 215
TAYLOR, B. L. (see GILPIN, M. E.), 131
TAYLOR, P. J., Consistent scaling and parameter choice for linear and generalized Lotka–Volterra models used in community ecology, 543
TAYLOR, P. J., The construction and turnover of complex community models having generalized Lotka–Volterra dynamics, 569
THORNLEY, J. H. M. (see France, J.), 383
3′-splice site signals of mRNA precursors in higher eukaryote genes, categorical discriminant analysis of, 109
Time course of the reversible Michaelis–Menten reaction, 483
TOPHAM, C. M., Ill-conditioning assosiated with the "end-point" method for the determination of kinetic parameters describing irreversible enzyme inactivation by an unstable inhibitor, 169
Transcription, antisense, and promoter occlusion; molecular hypotheses for position-effect variegation, 85
Tree, minimal spanning, quantization of directional properties in biological structures using, 295
Troponin C superfamily, theoretical estimation of the calcium-binding constants for proteins from, based on a secondary structure prediction method; applications, 41
Troponin C superfamily, theoretical estimation of the calcium-bonding constants for proteins from, based on a secondary structure prediction method; estimation procedure, 41
Turbulent and laminar flow in the mammalian aorta: Reynolds number, 409

Variegation, position-effect, molecular hypotheses for; antisense transcription and promoter occlusion, 85
VÉRTESSY, B. (see KELETI, T.), 75

Water pathways through erythrocyte membranes; routes along defect structures, 401
WEINBAUM, S., GANATOS, P., PFEFFER, R., WEN, G. B., LEE, M. and CHIEN, S., On the time-dependent diffusion of macromolecules through transient open junctions and their subendothelial spread. I. Short-time model for cleft exit region, 1
WEINBAUM, S. (see WEN, G. B.), 219
WELCH, G. R. (see KELETI, T.), 75
WEN, G. B., WEINBAUM, S., GANATOS, P., PFEFFER, R. and CHIEN, S., On the time-dependent diffusion of macromolecules through transient open junctions and their subendothelial spread. 2. Long time model for interaction between leakage sites, 219
WEN, G. B. (see WEINBAUM, S.), 1
WESTERHOFF, H. V. (see KOSTER, J. G.), 139

Xenopus laevis, kinetics of histone gene expression during early development, 139